

V0300-211-B-000

NEMA 23 Servo Motor, 300W



Product Features

- *Brushless DC servo motor*
- *Standard NEMA frame size*
- *Bearing-mount encoder*
- *High resolution, incremental encoder (2048 lines, 8192 counts)*



Description

Brushless DC servo motor with high resolution encoder feedback.

Specifications

Part Number	V0300-211-B-000
Frame Size	NEMA 23
Continuous Torque	5.0 in-lb
Peak Torque	15 in-lb
Rated Power	300 watts
Rated Voltage	150 volts
Rated Speed	4860 rpm
Peak Speed	6800 rpm
Rated Current	2.8 A rms
Peak Current	8.2 A rms
Torque Constant	1.86 in-lb/A
Voltage Constant	22.4 V/krpm
Armature Resistance	3.5 ohms
Armature Inductance	17 mH
Motor Length	4.09 inch
Rotor Inertia	3.82E-03 oz-in-sec ²
Weight	3.7 lbs
Integral Holding Brake	No
Storage Temperature	-10 to 85 °C
Operating Temperature	0 to 40 °C
Insulation Class	Class B (130 °C)
Maximum Radial Load	13 lbs
Maximum Thrust Load	6.6 lbs
Shaft Run Out	NA
Radial Play	NA
End Play	0.004 inch max w/ 6.6 lb load
Perpendicularity	NA
Concentricity	NA